



## Safety Data Sheet

Revision date: 22.12.2020

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 22.12.2020

according to Regulation (EU) 2015/830

na 2

Version: 5.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation na 2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

##### supplier (manufacturer/importer/downstream user/distributor)

gwK Gesellschaft Wärme Kältetechnik mbH

Scherl 10

D-58540 Meinerzhagen

Telephone: +49 (0) 2354 7060 0

Telefax: +49 (0) 2354 7060 156

E-mail

info@gwk.com

#### 1.4. Emergency telephone number

Emergency telephone number

Poison Centre Berlin +49 (0) 30 30686700

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Met. Corr. 1 / H290

Corrosive to metals

May be corrosive to metals.

Skin Corr. 1A / H314

Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### 2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



**Danger**

##### Hazard statements

H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals.

##### Precautionary statements

P280 Wear protective gloves and eye/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

##### Hazard components for labelling

sodium hydroxide

##### Supplemental hazard information

not applicable

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition / information on ingredients

#### 3.2. Mixtures

##### Description

##### Hazardous ingredients

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.

REACH No.

CAS No.

Designation

weight-%



## Safety Data Sheet

Revision date: 22.12.2020

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 22.12.2020

according to Regulation (EU) 2015/830

na 2

Version: 5.0

Index No.	classification: // Remark	
215-185-5	01-2119457892-27	
1310-73-2	sodium hydroxide	25 - 50
011-002-00-6	Skin Corr. 1A H314 / Eye Dam. 1 H318 / Met. Corr. 1 H290 Specific concentration limit (SCL): Skin Corr. 1A H314 >= 5 / Skin Corr. 1B H314 >= 2 / Skin Irrit. 2 H315 >= 0,5 / Eye Irrit. 2 H319 >= 0,5	

### Additional information

Full text of classification: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing.

Wash immediately with: Water

Medical treatment necessary.

#### After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical advice immediately.

#### Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Let water be drunk in little sips (dilution effect). Seek medical advice immediately.

Keep victim calm.

Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

carbon dioxide, Powder, spray mist, (water), Foam

#### Unsuitable extinguishing media

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Inhaling hazardous decomposing products can cause serious health damage.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Provide adequate ventilation. Do not breathe vapours.

### 6.2. Environmental precautions



## Safety Data Sheet

Revision date: 22.12.2020

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 22.12.2020

according to Regulation (EU) 2015/830

na 2

Version: 5.0

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with eyes and skin. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. Handle and open container with care. When using do not eat, drink or smoke. Avoid the formation of aerosol.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Packaging materials:

Unsuitable container/equipment material: Metal

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

#### Hints on joint storage

Do not store together with: Acid

#### Further information on storage conditions

Take care of instructions on label.

### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit values

not applicable

#### DNEL:

sodium hydroxide

Index No. 011-002-00-6 / EC No. 215-185-5 / CAS No. 1310-73-2

DNEL long-term inhalative (local), Workers: 1 mg/m<sup>3</sup>

DNEL acute inhalative (local), Consumer: 1 mg/m<sup>3</sup>

### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

##### Respiratory protection

Use only respiratory protection equipment with CE-symbol including four digit test number.

##### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

##### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

##### Body protection

Wear suitable protective clothing, gloves and eye/face protection.

##### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

##### Environmental exposure controls



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

na 2

Revision date: 22.12.2020

Print date: 22.12.2020

Version: 5.0

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance:

Physical state: Liquid  
Colour: colourless

Odour: odourless

Odour threshold: not applicable

pH at 20 °C: 14 / 45,0 weight-%

Melting point/freezing point: not applicable

Initial boiling point and boiling range: 100 °C

Source: water

Flash point: not applicable

Evaporation rate: not applicable

##### flammability

Burning time: not applicable

##### Upper/lower flammability or explosive limits:

Lower explosion limit: not applicable

Upper explosion limit: not applicable

Vapour pressure at 20 °C: 11 mbar

Vapour density: not applicable

##### Relative density:

Density at 20 °C: 1,48 g/cm<sup>3</sup>

##### Solubility(ies):

Water solubility at 20 °C: 999

Partition coefficient: n-octanol/water: see section 12

Auto-ignition temperature: not applicable

Decomposition temperature: not applicable

Viscosity at 20 °C: < 20 mPa\*s

Explosive properties: not applicable

Oxidising properties: not applicable

#### 9.2. Other information

Solid content: 45,00 weight-%

##### solvent content:

Organic solvents: 0 weight-%

Water: 0 weight-%

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

na 2

Revision date: 22.12.2020

Print date: 22.12.2020

Version: 5.0

Hazardous decomposition byproducts may form with exposure to high temperatures. e.g.: Hydrogen

### SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

#### 11.1. Information on toxicological effects

##### Acute toxicity

sodium hydroxide  
oral, LDLo., Rat: 500 mg/kg

##### Skin corrosion/irritation; Serious eye damage/eye irritation

Causes severe skin burns and eye damage.

Sodium hydroxide solution 45%  
Skin (4 h)

sodium hydroxide  
Skin  
eyes

Causes severe skin burns and eye damage.

##### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

##### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

##### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Practical experience/human evidence

##### Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

##### Remark

There is no information available on the preparation itself .

### SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Sodium hydroxide solution 45%

Fish toxicity, LC50, Gambusia affinis (Mosquito fish): 125 mg/L (96 h)

Acute (short-term) daphnia toxicity, EC50, Daphnia magna (Big water flea): 76 mg/L (24 h)

sodium hydroxide

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): 45,4 mg/L (96 h)

Daphnia toxicity, EC50, Daphnia magna (Big water flea): 40,4 mg/L (48 h)

Acute (short-term) fish toxicity, LC50:, Lepomis macrochirus (Bluegill): 99 mg/L (48 h)

##### Long-term Ecotoxicity

Toxicological data are not available.

#### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

sodium hydroxide

Partition coefficient: n-octanol/water:

##### Bioconcentration factor (BCF)

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.



## Safety Data Sheet

Revision date: 22.12.2020

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 22.12.2020

according to Regulation (EU) 2015/830

na 2

Version: 5.0

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Appropriate disposal / Product

##### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Appropriate disposal / Package

##### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

## SECTION 14: Transport information

### 14.1. UN number

UN 1824

### 14.2. UN proper shipping name

Land transport (ADR/RID):

Sodium hydroxide solution

Sea transport (IMDG):

SODIUM HYDROXIDE SOLUTION

Air transport (ICAO-TI / IATA-DGR):

Sodium hydroxide solution

### 14.3. Transport hazard class(es)

8

### 14.4. Packing group

II

### 14.5. Environmental hazards

Land transport (ADR/RID)

not applicable

Marine pollutant

not applicable

### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

#### Further information

#### Land transport (ADR/RID)

tunnel restriction code

E

#### Sea transport (IMDG)

EmS-No.

F-A, S-B

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L): 0

#### National regulations

#### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

#### Substance/product listed in the following inventories:

AICS keine Information (AICSK-EN.rtf)



## Safety Data Sheet

Revision date: 22.12.2020

according to Regulation (EC) No. 1907/2006 (REACH)

Print date: 22.12.2020

according to Regulation (EU) 2015/830

na 2

Version: 5.0

DSL keine Information (DSLK-EN.rtf)  
 EHS no information (EHS-EN.rtf)  
 IECSC keine Information (IECSCK-EN.rtf)  
 KECI keine Information (KECIK-EN.rtf)  
 MITI keine Information (MITIK-EN.rtf)  
 NZLoC no information (NZLoCK-EN.rtf)  
 PICCS keine Information (PICCSK-EN.rtf)  
 TCSI no information (TCSIK-EN.rtf)  
 No information of listing in TOXIC SUBSTANCES CONTROL ACT (TSCA)

### 15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No. CAS No.	Designation	REACH No.
215-185-5 1310-73-2	sodium hydroxide	01-2119457892-27

### SECTION 16: Other information

#### Full text of classification in section 3:

Skin Corr. 1A / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.
Met. Corr. 1 / H290	Corrosive to metals	May be corrosive to metals.

#### Classification procedure

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Met. Corr. 1	Corrosive to metals	On basis of test data.
Skin Corr. 1A	Skin corrosion/irritation	Calculation method.

#### Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

#### Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

# DICKE

*Kohl- und Hilfsstoffe für Ihren Bedarf*

Article No.: 002099      Sodum hydroxide solution 45%  
Print date: 27.07.2021      Revision date: 22.12.2020  
Version: 5.0      Issue date: 22.12.2020

EN  
Page: 8 / 8

---

1.1t is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.